DMR Copy of Record											
Permit											
Permit #:		Pe	ermittee:			Facil	ity:				
Major:	Yes No		Permittee Address:		Attn:	Facil	ity Location		Attn:		
					,						,
Permitted Feature:		Di	scharge:		-						
Report Dates & Status		,	_								
Monitoring Period:	From //- From // to To //- //	Dr	MR Due Date:		//-//	State	us:				
Considerations for Form Completion		ı				•					
Principal Executive Officer											
First Name:		Tit	tle:			Tele	phone:				
Last Name:											
No Data Indicator (NODI)		·									
Form NODI:											
	Parameter		Monitoring Se		or Loading		Quality or				Frequency Samp
	Code		Name Location	# NODI Qualifier Value 1 1	Qualifier Value Unit 2 2		r Value Qualifiei 1 2	r Value Q 2		/alue Units OI Ex.	Analysis
background-color: rgb(241, 248, 248); background-color: rgb(241, 248, 248); background-color: rgb(241, 248, 248); background-cobackground-color: rgb(241, 248, 248); background-cobackground-color: rgb(241, 248, 248); background-color: rgb(241, 248, 248); backgr	olor:#FCEFF0; Effluent Trading Sample	e following fields will be submitted for	or that row: Units, Num	nber of Excursions, Freque	ncy of Analysis, a	ınd Samp	ole Type.				
Edit Check Errors											
		Parameter					Monitoring	Field	Tumo	Dogovintion	Ankmountedon
	С	ode				Name	Location	Field	Туре	Description	Acknowledge
- Soft The provided sample value is outside	the permit limit. Please verify that the value you have p	provided is correct.			Yes						
You have selected units that are different from the units established by your Regulatory Authority. Please contact your Regulatory Authority to discuss the selection of any alternative units.											
No errors.											
Comments											
Attachments											
Na	Name					Size					
No attachments.											
Report Last Saved By											
Report East Saved By											
User:											
Name:											
E-Mail:											
Date/Time:		(Time Zone:)									
Report Last Signed By											
User:											
Name:											
E-Mail:											
Date/Time:		(Time Zone:)									